

XOTcl @ Work

Gustaf Neumann

*Department of Information Systems
Vienna University of Economics
Vienna, Austria
gustaf.neumann@wu-wien.ac.at*

Uwe Zdun

*Specification of Software Systems
University of Essen
Essen, Germany
uwe.zdun@uni-essen.de*

Second European Tcl/Tk User Meeting, June, 2001.

What is XOTcl

- ◆ XOTcl = Extended Object Tcl
- ◆ “High-level” object-oriented programming
- ◆ Advanced Component Glueing
- ◆ XOTcl is freely available from: <http://www.xotcl.org>
- ◆ Outline:
 - Scripting and object-orientation
 - Programming the “basic” XOTcl Language
 - Component Glueing
 - XOTcl high-level language constructs
 - Some provided packages



Tcl-Strengths

Important Ideas in Tcl:

- ◆ **Fast & high-quality development through component-based approach**
- ◆ **2 levels: “System Language” and “Glue Language”**
- ◆ **Flexibility through . . .**
 - Dynamic extensibility,
 - Read/write introspection,
 - Automatic type conversion.
- ◆ **Component-Interface through Tcl-Commands**
- ◆ **Scripting language for glueing**



Motivation for XOTcl

- ◆ **Extend the Tcl-Ideas to the OO-level.**
- ◆ **Just “glueing” is not enough! Goals are . . .**
 - Architectural support
 - Support for design patterns (e.g. adaptations, observers, facades, . . .)
 - Support for composition (and decomposition)
- ◆ **Provide flexibility rather than protection:**
 - Introspection for all OO concepts
 - All object-class and class-class relationships are dynamically changeable
 - Structural (de)-composition through *Dynamic Aggregation*
 - Language support for high-level constructs through powerful interceptors (*Filters* and *Per-Object Mixins*)

XOTcl Overview

Tcl

namespaces
introspection
extensibility
embeddability

dynamic type system with automatic conversion
language dynamics

Extended OTcl

New Functionalities:

dynamic aggregations
nested classes
assertions
per-object mixins
per-class mixins
filters
scripted components

Adopted from OTcl:

object and class system
multiple inheritance
method chaining
meta-classes
read/write introspection
dynamic typing

...

***Other
Extensions***



XOTcl is similar Tcl

◆ XOTcl is dynamic:

- Definitions of objects and classes can be extended and modified at runtime
- Classes and objects can be dynamically destroyed
- All relationships between object and classes are fully dynamic

◆ XOTcl is fully introspectible with `info` methods

◆ Syntax similar to Tcl

◆ Objects and classes are Tcl commands

◆ Objects and classes “live” in a Tcl namespace



Example: Soccer Team



◆ Soccer team abstraction:

- Has members (players)
- Has properties (name, location, type)
- Players can be added and transferred
- Each player has properties (name, player role)

◆ Similar abstractions in many “real-world” applications

Soccer Team In Ordinary Tcl

```
set teams($teamid-name) "Schalke"           ;# Associative array for teams
set teams($teamid-location) "Gelsenkirchen"
set teams($teamid-playerids) {}

set $id-players($playerid-name) "Emile Mpenza" ;# Player array for each team
...

proc newPlayer {teamid name} {              ;# Procedure
    global teams $teamid-players           ;# Import global structure
    ...                                     ;# Work on global structure
    return $playerid
}
```


Problems: Missing data encapsulation, global data, name collision, no bundled behavior/data, no specialization/generalization, central modification is hard to achieve,
...

Object-Oriented Solution

◆ **Initial Design: Soccer team aggregates players.**


◆ **Used Concepts:**

- Classes abstract over soccer team and player
- Instance variables
- Instance methods
- 1-to-many relationship
- (Dynamic) object aggregation



Objects in XOTcl

- ◆ Each created object has `Object` as class or superclass. Methods on `Object` are usable for all objects
- ◆ Each object can have object-specific variable slots and methods (`procs`)
- ◆ Variables and methods are stored in the object's namespace
- ◆ Each object has a class



Creation and Definition of Objects

```
Object player1                                ;# Object definition

player1 set name "Emile Mpenza"              ;# Set instance variable

player1 proc print {} {                      ;# Print procedure for name
    [self] instvar name                      ;# Get var into proc scope
    puts "Name:          $name"              ;# Print name to stdout
}

player1 print                                ;# Call 'print'

player1 destroy                               ;# And delete player object
```




Objects versus Classes

- ◆ **Instances (objects) can be derived from a class**
- ◆ **A class describes the intrinsic type of an object:**
 - Common data slots
 - Instance methods (`instprocs`)
 - ...
- ◆ **Classes in XOTcl “know” about their instances and vice versa (introspection)**
- ◆ **Classes in XOTcl have all object abilities plus class abilities:**
 - Deriving objects
 - Instance method definition
 - Inheritance
 - ...



Class Instances



Classes

**is-instance-of
relationship**

Objects

Class Definition and Instance Methods on Classes

```
Class Player -parameter {                                ;# Class definition
    name
    {playerRole NONE}
}
Player instproc print {} {                              ;# Print instance method
    [self] instvar name playerRole
    puts "Name:          $name"
    puts "Player Role: $playerRole"
}

Player emile -name "Emile Mpenza" \                    ;# Definition of a player object
    -playerRole Forward

emile print                                             ;# Calling print operation
```


Stepwise refinement of class definition, syntax & conventions similar to Tcl



Object Construction/Destruction

◆ Constructor – Special instance method `init`:

```
Player instproc init args {  
    # perform initializations  
}  
Player p -name "My Name"
```



◆ Destructor – Special instance method `destroy`:

```
Player instproc destroy args {  
    # perform destruction  
}  
p destroy
```

Introspection

- ◆ In XOTcl every language is introspective and dynamic \Rightarrow Similar to Tcl.
- ◆ Using the `info` instance method.
- ◆ Example – Reading instproc definition:
`Player info instbody print`
- ◆ Example – List of instances:
`Player info instances`
- ◆ Object- vs. class-specific introspection options. Example – Obtaining an object's class:
`player1 info class`



Callstack Information

◆ Retrieve information that is dynamically created on the callstack:

<code>self</code>	current object name
<code>self class</code>	current class name
<code>self proc</code>	current proc/instproc name
<code>self callingobject</code>	calling class name
<code>self callingclass</code>	calling object name
<code>self callingproc</code>	calling proc/instproc name
...	...

◆ Example – Discriminating on calling object type:


```

Player instproc reactOnPlayer {} {
  set co [self callingobject]
  if {[$co istype Player]} {...}
  ...
}
# example instproc
# get calling object
# type => player-specific behavior
# else: default behavior

```

Inheritance

- ◆ Defining a class hierarchy with “is-a” relationships
- ◆ Generalization/specialization \Rightarrow Reusing class definitions



```
Class ClubMember -parameter {name}
```

```
Class Player -superclass ClubMember -parameter {{playerRole NONE}}
```

```
Class Trainer -superclass ClubMember
```

```
Class President -superclass ClubMember
```




Multiple Inheritance

◆ **Multiple Inheritance =**
one class has more than
one superclass

◆ **Directed Acyclic Graph**

→ **Linearization**
Method Chaining

with



`Class PlayerTrainer -superclass {Player Trainer}`

Method Overloading and Next Path

- ◆ Each method call is performed on an object
- ◆ If the method is not defined on the object, then the class and its superclasses are searched
- ◆ If the method is found it may contain a `next` call.
- ◆ Then the “`next`” method on the class graph is searched and mixed into the current method
- ◆ “`next`” determines if, at which position, and with which arguments the next method is called
- ◆ Per default, “`next`” calls with the same arguments




Method Chaining: Extending Print Operation

```
Class ClubMember -parameter {name}                ;# Class definition
ClubMember instproc print {} {                    ;# Default print operation
  [self] instvar name
  puts "Name:          $name"                      ;# Print 'name'
  next
}
Class Player -superclass ClubMember \             ;# Subclass definition
  -parameter {{playerRole NONE}}
Player instproc print {} {                        ;# Extended print operation
  [self] instvar playerRole
  puts "Player Role: $playerRole"                 ;# Print player role
  next                                           ;# Call superclass implementation
}
```

Composability: `next` functions without naming the targeted superclass.




Method Chaining: Next Path for Player Trainer



Class-Path Linearization: Each class is visited once. Unambiguous precedence order.

XOTcl Class and Object System



Dynamic Re-Classing

- ◆ Dynamic classes and superclasses \Rightarrow Modeling life-cycle of objects.
- ◆ Example – Player becomes president:

```
Player p -name "Franz Beckenbauer" \           ;# Create player
  -playerRole PLAYER
...                                           ;# Life-cycle induces change
$fb class President                          ;# Reclassing to President
```

- ◆ Redefining class behavior may imply modifications \rightarrow specializing class:

```
Player instproc class args {                 ;# Specializing class operation
  [self] unset playerRole                   ;# Delete player role property
  next                                       ;# Call Object->class
}
```



Dynamic Object Aggregation

- ◆ *Dynamic object aggregation:* An object system supports dynamic aggregation iff arbitrary objects may be aggregated or disaggregated at arbitrary times during execution.

```
Class Stadium                ;# Class for stadium
Class SoccerTeam            ;# Soccer team class
SoccerTeam instproc init args { ;# Constructor
    Stadium [self]::homeStadium ;# Automatically aggregate stadium
    next
}
SoccerTeam bayern           ;# New team instantiation
President bayern::president \ ;# Aggregate president
    -name "Franz Beckenbauer"
bayern::president destroy   ;# President leaves club -> disaggregate
```



Object Aggregation – Examples

Aggregate with autaname:

```
SoccerTeam instproc newPlayer args {  
    eval Player [self]::[[self] autaname player%02d] $args  
}
```

Iterate over children:

```
SoccerTeam instproc printMembers {} {  
    puts "Members of [[self] name]:"  
    foreach m [[self] info children] {puts "    [$m name]}"  
}
```

Retrieving club name from parent:

```
ClubMember instproc getClubName {} {  
    return [[[self] info parent] name]  
}
```

Object Aggregation – Life-Cycle Issues

- ◆ **Object creation:** Every object is created with an identifier that is unique in the scope where it was created
- ◆ **Object hierarchy restructuring:** A copy/move/delete operation works on the subtree of the object hierarchy starting with the named object

```
SoccerTeam instproc transferPlayer {playername destinationTeam} {  
  foreach player [[self] info children] {  
    if {[$player istype Player] && [$player name] == $playername} {  
      $player move [set destinationTeam>::[$destinationTeam autoname player%02d]  
    }  
  }  
}
```

- ◆ **Object aggregation implies that the whole has responsibility of the life-time of the parts**

Dynamic Component Loading in XOTcl

◆ Component in XOTCL:

- Any assembly of several structures, like objects, classes, procedures, functions, etc.
- Granularity: self-contained entity, i.e. subsystem or substantial part of a subsystem

◆ Component has to declare its name and optional version information with:


`package provide componentName ?version?`

◆ Component can be loaded with:

`package require componentName ?version?`


◆ Automatic component indexing, tracking, and tracing

Component Wrapping



Component Wrapper: White-box placeholder for (multi-paradigm) components →
Place for central adaptations, decorations, etc.

Wrapping a C Component with Explicit Export/Import



- ◆ Many different component wrapping schemes: Wrapper Facade, Proxy, . . .
- ◆ Different configurations: Tcl C Wrapper, XOTcl C Wrapper, . . .
- ◆ *Three-Level Component Configuration*: Make export and import explicit, first-class objects

→ Dynamic, runtime replaceability

Problems of a Pure Class-Based Implementation


- ◆ **Transparency** – The client should not rely on concrete implementation details.
 - ◆ **Decoration/Adaptation:**
 - Concerns that cross-cut the component wrapper hierarchy,
 - Object-specific component wrapper extensions or adaptations.
 - ◆ **Coupling of Component and Wrapper**
 - Should appear as one runtime entity,
 - But: Should be decomposed in the implementation.
 - ◆ **Component Loading** – Dynamical and Traceable
- ⇒ **Interception Techniques for Flexible Component Wrapping**



Per-Object Mixins for Object-Specific Extensions

A **per-object mixin** is a class which is mixed into the precedence order of an object in front of the precedence order implied by the class hierarchy.

- ◆ Model behavioral extension for individual objects (Decorator).
- ◆ Model Adapter for individual objects.
- ◆ Handle orthogonal aspects not only through multiple inheritance.
- ◆ Intrinsic vs. extrinsic behavior, similar to roles.



Example Code for Per-Object Mixins

```
Player bayern::franz \                               ;# Player object
    -name "Franz Beckenbauer"

Class Singer                                         ;# Define the singer class
Singer instproc sing text {                         ;# Singing method
    puts "[[self] name] sings: $text, lala."
}

bayern::franz mixin Singer                          ;# Register class as per-object mixin

bayern::franz sing "lali"                           ;# Perform singing

bayern::franz mixin {}                              ;# Better stop it
```



Per-Class Mixins

A **per-class mixin** is a class which is mixed into the precedence order of the instances of a class and all its subclasses.

Example – Observing the player transfer operation:

```
Class TransferObserver                                     ;# Class definition
TransferObserver instproc transferPlayer \                ;# Transfer observer method
  {pname team} {
  puts "Player '$pname' is transfered."
  puts "Destination Team '$team name'"
  [self] set transfers($pname) $team
  next
}

SoccerTeam instmixin TransferObserver                    ;# Per-class mixin registration

bayernMunich transferPlayer \                             ;# Example transfer
  "Giovanne Elber" chelsea
```



Architectural Constraints


- ◆ Restrict dynamic classes of sub-hierarchy to be static.
- ◆ Requests are split objects with C++ objects \Rightarrow Dynamic classing is impossible.

```
Class RestrictToSubClassOfRequest
RestrictToSubClassOfRequest instproc class args {
  set cl [[self] info class]
  next
  if {![self] istype Request} {
    [self] class $cl
  }
}
Request instmixin RestrictToSubClassOfRequest
```

Filters for Cross-Cutting Concerns

A **filter** is a special instance method registered for a class C. Every time an object of class C receives a message, the filter is invoked automatically.

→ Aspects that cross-cut several classes in a hierarchy.



Example: Trace Filter Definition

```
package provide xotcl::Traced 0.8                ;# Define component
...
Class Traced -superclass Class                  ;# Meta-class definition
Traced instproc traceFilter args {              ;# Trace filter method
  set r [self calledproc]                       ;# Get callstack info
  if {[self regclass] exists operations($r)} { ;# Check for registered operation
    puts stderr "CALL [self]->$r"              ;# Print to stderr
  }
  return [next]                                  ;# Perform target operation
}
Traced instproc init args {                      ;# Meta-class constructor
  [self] array set operations {}
  next
  [self] filterappend Traced::compositeFilter ;# Register filter
}
```



Example: Traced Filter Usage

```
package require xotcl::Traced                ;# Load component dynamically
...
Traced ClubMember \                          ;# Define traced class
  -addOperations {name ...}                  ;# Add traced operations

Class Player -superclass ClubMember          ;# Define different subclasses
Class President -superclass ClubMember       ;# => They are also traced now
```



Self-Documentation

- ◆ **XOTcl contains self-documentation/metadata facility with @**
- ◆ **Components:**
 - Static metadata analysis,
 - Dynamic metadata analysis,
 - HTML generation.
- ◆ **Syntax similar to definition of described constructs.**
- ◆ **Flexibly extensible with new tokens and properties.**
- ◆ **Per-default: not interpreted \Rightarrow no memory/performance wasted, if runtime metadata is not required.**



Self-Documentation Examples

◆ Example – Describing a class:

```
@ Class SoccerTeam {  
  description {A soccer team class.}  
}
```

◆ Example – Describing a method:

```
@ SoccerTeam instproc transferPlayer {  
  player "name of the player to transfer"  
  team "destination team"  
} {  
  Description {  
    Move player object into destination team.  
  }  
  return "empty string"  
}
```



XOTcl Component Library & Application

◆ XOTcl contains rich component library:

- Object persistence
- XML parser and interpreter framework
- RDF parser and interpreter framework
- HTTP Server
- Client-side of various web protocols (HTTP, FTP, LDAP, ...)
- ActiWeb: Active Web Objects and Mobile Code
- Reusable pattern implementations
- ...

◆ Example Applications

◆ Regression Test Suite

◆ Documentation (Tutorial, Language Reference, Papers, Articles, etc.)

How to get involved

- ◆ **Download XOTcl from** <http://www.xotcl.org>
 - Source Distribution
 - Linux Binaries & RPMs (Red Hat, Debian)
 - Windows Binaries

- ◆ **Mailing List with Archives at:**
<http://wi.wu-wien.ac.at/mailman/listinfo/xotcl>